

# SAFETY DATA SHEET

## GREASE GONE

### 1. IDENTIFICATION OF SUBSTANCE AND OF THE COMPANY

**Product Name** : GREASE GONE (Oven Cleaner)  
**Company** : Chemforce Pte Ltd  
 2B Sungei Kadut Drive  
 Singapore 729555  
**Telephone** : +65 6365 2833  
**Fax** : +65 6365 2700  
**Email** : chemforc@singnet.com.sg

### 2. INFORMATION ON INGREDIENTS

	%
1. Potassium Hydroxide	< 15
2. Butyl Ether Of Ethylene Glycol	> 5
3. Water Base Solvent Complex	> 5
4. Alkaline Stabilizer	< 5
5. T.E.A	< 5

### 3. HAZARDS IDENTIFICATION

Hazard Pictogram :



Signal Word : Danger

Causes eye irritation. **KEEP OUT OF REACH OF CHILDREN.**

### 4. FIRST-AID MEASURES

**Eye Contact** : Wash with plenty of water for at least 15 minutes  
**Skin Contact** : Flush skin with water after contact. Remove contaminated clothing before reuse.  
**Ingestion** : Do not induce vomiting. Give plenty of milk. Seek medical aid immediately.  
**Inhalation** : Remove patient to fresh air & ensure there is sufficient ventilation before use.

### 5. FIRE FIGHTING MEASURES

**FLAMMABLE PROPERTIES** : Wear full protective equipment.  
 Exposure to temperatures above 120°F may cause bursting.

## SAFETY DATA SHEET

### GREASE GONE

#### 6. ACCIDENTAL RELEASE MEASURES

**Spillage** : Small spillage may be flushed away with water. Rinse area well to avoid slippery condition.  
Large spillage should be absorbed by using proper spill kit & spilled cloth should be disposed into the spill kit bin.

#### 7. HANDLING & STORAGE

**Handling** : Avoid contact with eyes and skin. Wear rubber gloves & goggles.  
**Storage** : Store in closed container tightly.  
Do not expose to heat or store at temperature above 120°F.

#### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

No specific controls are needed. Should wear suitable respiratory protection where long-term exposure to large areas of spilled is possible such as a major spill, a fire or a clean-up operation.

#### 9. PHYSICAL & CHEMICAL PROPERTIES

**Form** : Caustic Liquid  
**Colour** : Light Brown  
**pH** : 14 Alkaline  
**Flammability** : Non flammable

#### 10. STABILITY AND REACTIVITY

**Materials and Conditions to Avoid:** Avoid contact with eyes and skin.  
Avoid inhalation of vapour.  
**Hazardous Polymerization** : Not applicable.

#### 11. TOXOLOGICAL INFORMATION

**Eye Irritation** : Corrosive  
**Skin Irritation** : Irritating on contact  
**Ingestion** : Corrosive may cause burns to mouth/throat & Gastro-intestinal tract  
**Inhalation** : Strong Irritating

**SAFETY DATA SHEET**

**GREASE GONE**

**12.ECOLOGICAL INFORMATION**

Not available

**13.DISPOSAL CONSIDERATIONS**

Disposal to be handled by authorized waste management company who is license for chemical waste handling.

**14.TRANSPORT INFORMATION**

**Type of Packaging** : 1. 5Ltrs plastic bottle  
2. 25Ltrs drum  
**Special Transport Requirements** : N/A

**15.REGULATORY INFORMATION**

**Classification** : Avoid contact with skin and eyes.  
Keep out reach of children

**16. OTHER INFORMATION**

**Recommended Use** : Pre-heat grill plates/oven to 70 – 80°C. Turn off heat,  
Apply neat with a hand spray. Scrape and rinse off  
After 5 -7 minutes into grill gully.

**The information contained herein is based upon data considered true and accurate. Chemforce Pte Ltd made no warranties, express or implied, as to the adequacy of the information contained herein; this information is offered solely for the user's consideration, investigation, and verification.**